The shape of design




The shape of design

Our 25cm x 100cm DesignDek brings new design aesthetics and a new sense of proportion to carpet tiles. DesignDek opens up a myriad of design options that expands beyond what can be achieved with a standard square tile.

DesignDek shows what is possible outside of the traditional format, by adding in squares to the design a unique aesthetic can be achieved in geometric shapes.

Let DesignDek expand your viewpoint, refresh your design view and help you create modern and unique designs.









hide the seams

Ashlar, conceal the seams or reveal them step the pattern or keep it linear. Ashlar provides a concept allowing demarcation of walkways and break out zones with simple installation sophistication.

or not.







Colours: Dek Apple / Dek Flex / Dek Fusion





Herring bone System System

Herringbone represents a tried and tested fashion statement draw the eye or bend the perspective. Create exciting walkways or patterns that defy logic with this trademark classic.











DesignDek's versatility in design provides hundreds of options in colour and pattern. Do you choose to conceal the seams and use a blanket colour with only flashes of brights. Alternatively break up each section of the design with a bright against solid to show exactly where each seam is. The options are endless for the innovative mind.







Installation ideas

















Geometric pushes the boundaries of what is possible with DesignDek by reintegrating squares into the fold. By stretching each design vertically and horizontally, accommodating squares into the standard Ashlar and Herringbone techniques - a new variance in the design is discovered. Balance or push this variance to the limit with colour blocking.






Recommended installation methods

100cm x 25cm tile installation guide

Offset Block

For installing in an offset block effect, the same planning and installation recommendations should be followed as for standard carpet tiles. The effect is created by offsetting the front and back tile joints by half a tile











Diagonal Herringbone


This effect is created by laying the DesignDek in an 'L' pattern at right angles to the central chalk datum lines marked on the subfloor. When building out in an 'L' pattern from the initial DesignDek installed, frequently check with a set square to ensure alignment and squareness is maintained.



Herringbone

This effect is slightly more complex and requires Central datum lines additional diagonal datum lines. The right angles of central datum lines should be dissected with additional lines at 45°, the DesignDek laid in a similar 'L' shape using the new 45° datum lines. Again, the DesignDek should be frequently checked with a set square to ensure alignment and squareness is maintained.





Dek

S Style

Yarn Construction

Pile Yarn Weight

Pile Height

Total Weight

Total Thickness

Backing

Dimensions

Wear Classification

Colour Fastness To Light (ISO105 – BO2) > 6
To Water (ISO 105 - E01) > 5
To Rubbing (ISO 105 - X12) > 5 dry 4-5 wet

Flammability

Castor Chair Test

10 Warranty

Suitable for office, commercial, retail, schools, colleges and leisure


Heavy Contract

10 Year warranty

Available in 6 Colourways

610 gsm (Dek Fusion 580gsm) Pile Yarn Weight







Dek Dark Blue



Dek Apple





Dek

S Style Tuffed Loop Pile 1/10" gauge Yarn Construction 100% solution dved nvlon

Pile Yarn Weight 580 gsm

Pile Height

Pile Density 172,000 tufts per m2

Total Weight 4360 gsm Total Thickness 6mm (Tile)

Backing Bitumen 100cm x 25cm

Flammability

Dimensions Wear Classification Heavy Contract

Anti-static < 2Kv body voltage. Suitable for use with computers

Colour Fastness To Light BS EN (ISO105 – BO2) Better than 6 To Shampoo BS 1006 - UK - TB Change in shade 4 - 5 To Rubbing BS EN (ISO105 - X12) Wet 4 - 5, Dry 4 - 5

> BS 4790 (Hot Metal Nut) Low Radius of Char BS EN 13501-1 Bfl-s1

Castor Chair Test BS EN 985 / 2.8

10 Warranty 10 Years


> VOC Content E1 in relation to EN 14041:2004

Seal of Approval BRE A+ Rated

Paragon manufactures in the cleanest carpet tile factory in Europe

Commercial, Education, Health and Retail markets





Dek

S Style Tufted Loop Pile Tile 1/10" guage

Yarn Construction 100% solution dyed nylon

Pile Yarn Weight 600 gsm Pile Height

Pile Density 172,000 tufts per m2

Total Weight 4380 gsm Total Height

Backing Bitumen Backed

Dimensions Wear Classification Heavy Contract

Anti-static < 2Kv body voltage. Suitable for use in computer rooms.

To Light (BS EN ISO105-B02) Better than 6 To Shampoo BS 1006 - UK - TB Change in shade 4 - 5 To Rubbing (BS EN ISO105-X12) Wet 4 - 5, Dry 4 - 5 Colour Fastness

Flammability BS 4790 (Hot Metal Nut) Low Radius of Char BS EN 13501-1 Bfl-s1

Castor Chair Test BS EN 985 r value 2.8 Suitable for continuous use

10 Warranty 10 Years

> VOC Content E1 in relation to EN 14041:2004

Heavy Contract

10 Year warranty

100% solution dyed nylon

Suitable for Commercial, Education, Health and Retail markets

Dek Hex Accent



Let DesignDek expand your viewpoint, refresh your design view and help you create modern and unique solutions.

Shall end unique solutions. Shall be significant and unique solutions. The solution of the s





Farfield Park, Manvers, Wath-upon-Dearne, Rotherham, S63 5DB

T. +44 (0) 1709 763 839

F. +44 (0) 1709 763 813

E. sales@paragon-carpets.co.uk

W. www.paragon-carpets.co.uk

Marketing/Samples Department: marketing@paragon-carpets.co.uk

t: +44 (0)1709 763 805



The shape of design

