


Experience Carpet Tiles

paragon
CARPET TILES




Maestro

38 Colourways



BROADLOOM DESIGN



TESSELLATED DESIGN



LOWEST CARBON
EMISSIONS
TILE FACTORY IN THE EU



paragon 3R
RECOVER · RECYCLE · REUSE




antron *@*

MADE IN BRITAIN

AVAILABLE
FROM STOCK

MAESTRO



Suitable for office, commercial, retail, schools, colleges, and leisure



Heavy Contract

10 year warranty

Available in 38 designed colourways

1050 gsm
Pile Yarn Weight
Antron Nylon 6.6

Up to 50% of the total product is recycled content



Celestial Blue - Cocoa Blush - Silver - Dusty Pink - Volcanic Splash - Velvet Truffle

Maestro








Maestro

Style	1/10th gauge tufted cutpile
Yarn Construction	100% Invista Nylon
Pile Yarn Weight	1050 gsm
Pile Height	5mm
Total Weight	4,650gsm
Total Thickness	8mm
Backing	100% Envirobase - minimum of 75% recycled material
Additional Backing	100% Komfort Bac available on request
Dimensions	50cm x 50cm
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-static	< 2kV body voltage. Suitable for use with computers
Colour Fastness	To Light (ISO105 – BO2) > 5 To Water (ISO 105 - E01) > 4 To Rubbing (ISO 105 - X12) > 4
Flammability	Floorcoverings tested to BS4790 (Hot Metal Nut Test) Low Radius of Char
Euroclass Flammability	(BS EN ISO 9339) (BS EN ISO11925-2) Bfl-s1
Castor Chair Test	BS EN 985 r value 2.8 continuous use
Warranty	10 Year Warranty
Voc Content	E1 in relation to EN 14041:2004



Aubergine
(LRV - Y3)



Farfield Park
Manvers
Wath-upon-Dearne
Rotherham, S63 5DB

T. +44 (0) 1709 763 839
F. +44 (0) 1709 763 813
E. sales@paragon-carpets.co.uk
W. www.paragon-carpets.co.uk

INSTALLATION

Sub floors should be clean, dry and flat and prepared in accordance with BS5325. Timber floors should be covered with plywood or other appropriate sheet materials. For tiles use F Ball tackifier F41 or Laybond 79. Tiles may be laid tessellated or broadloom. Tiles should be allowed to condition for a minimum of 24 hours at the expected temperature and humidity prevailing when the building is in use. Further installation information is available from the Paragon Sales Office.

COLOUR


For technical reasons, as with all textile materials, it may not be possible to colour match from different batches. Orders requiring colour match should be placed at the same time. Production may therefore show variations to the sample card.

MAINTENANCE

It is recommended that a maintenance schedule be initiated from the date of installation to achieve maximum life expectancy of the product. Regular vacuum cleaning with a twin motored upright vacuum cleaner is essential. All spillages and stains should be attended to immediately. For detailed information, please consult the Paragon cleaning and maintenance guide. It is imperative that all internal carpets are well protected from outside soiling and moisture by the use of barrier matting such as MatWorks, also available from Paragon.



Farfield Park
Manvers
Wath-upon-Dearne
Rotherham, S63 5DB
T. +44 (0) 1709 763 839
F. +44 (0) 1709 763 813
E. sales@paragon-carpets.co.uk
W. www.paragon-carpets.co.uk



Experience Carpet Tiles

paragon
CARPET TILES




Maestro

38 Colourways


A Division of National Floorcoverings Ltd.
Farfield Park, Manvers, Wath-upon-Deerne, Rotherham, S63 5DB T. +44(0) 1709 763839
Samples Department: +44(0) 1709 763805.
Order Free Samples Online E. samples@paragon-carpets.co.uk
www.paragon-carpets.co.uk | www.mat-works.co.uk



i colour wheel www.paragon-app.com



BROADLOOM DESIGN



TESSELLATED DESIGN



antron. *@*
MADE IN BRITAIN

AVAILABLE
FROM STOCK



Download our free apps NOW

Search Paragon Carpets

