

STATION 12



- > iQ Unique Surface Restoration system
- > Best life cycle cost on the market
- > Extreme durability and outstanding flexibility

HOMOGENEOUS
COMPACT VINYL

iQ Eminent



* EXCEPT RECYCLED CONTENT



*TVOC AT 28 DAYS



THE ULTIMATE
FLOORING EXPERIENCE

The Concept

iQ stands for “Intelligence Quality” and reflects Tarkett’s commitment to providing an intelligent response to customer needs. As part of the iQ range, iQ Eminent shares all the properties of **the original** high performance flooring which is **simply the best solution** on the homogeneous vinyl market.



Simply the best solution

The iQ range offers outstanding performance with long-lasting, hardwearing surfaces. In particular, it introduces iQ Unique Surface Restoration properties, a system that uses simple dry buffing to restore the surface’s original appearance and function. Since the iQ floor looks new forever with simple dry buffing, the satisfaction of the outstanding finish will last a lifetime. The iQ range produces significant economies in the cost of cleaning and maintenance and provides the best life cycle costs on the market.

The iQ range is a winning solution for the environment. Water, detergent and energy use for cleaning are much lower than for ordinary vinyl, while the longer life means less waste. It also incorporates up to 25.5% post production/installation waste and is completely recyclable.



Phthalate-free technology

The phthalate-free plasticizers selected by Tarkett are approved for food contact containers and can be used for toys intended to be placed in the mouth by children.



Extremely low VOC emissions

Extremely low VOC emissions 100 times lower than the strictest standards in Europe.



iQ Eminent



COORDINATE AND CREATE YOUR DESIGN

Colour harmony contributes to well-being. That's why Tarkett's new iQ Eminent brings more design flexibility for architects with additional outstanding design options - for a truly harmonious flooring experience in healthcare, education and other public buildings.

iQ Eminent features a palette of primary and neutral colours completed by shades in natural grey and beige in a distinctive non-directional design with 3D effect. Now Tarkett has added six Unisense designs options, coordinated to match the core colourways of the collection but with an adapted chip pattern.

This rhythmic colour range enables you to vary project design with different intensity of colour and pattern within the same collection to fit the ambience you want to create – from orienting traffic in walkways to conveying calm in individual rooms or creating contrast from one area to another.

iQ Eminent combines outstanding technical performance with great aesthetics so you can coordinate your project design for the well-being of all users.




Colours



21030 151 21031 151 NCS S 1070-Y20R




21030 152 21031 152 NCS S 2070-Y90R



21030 149 21031 149 NCS S 5040-R30B



21030 143 21031 143 NCS S 2020-R90B



21030 144 21031 144 NCS S 3030-R90B



21030 145 21031 145 NCS S 6030-R90B



21030 150 21031 150 NCS S 1075-G60Y



21030 148 21031 148 NCS S 4030-G30Y



21030 147 21031 147 NCS S 1030-G60Y





21030 146 21031 146 NCS S 1010-G80R



Neutrals





White

 21030 125
  21031 125
 NCS S 0500-N






White Grey

 21030 126
  21031 126
 NCS S 1500-N






Light Grey

 21030 127
  21031 127
 NCS S 3000-N





Medium Grey

 21030 128
  21031 128
 NCS S 4500-N





Dark Grey

 21030 129
  21031 129
 NCS S 6000-N






Black

 21030 130
  21031 130
 NCS S 8500-N





Light Warm Grey

 21030 131
  21031 131
 NCS S 2502-Y





Medium Warm Grey

 21030 132
  21031 132
 NCS S 4502-Y



Dark Warm Grey



 21030 133
  21031 133
 NCS S 5502-Y



Neutrals





Light Grey Beige

 21030 134  21031 134 NCS S 1505-Y10R





Dark Grey Beige

 21030 136  21031 136 NCS S 3005-Y20R





Medium Grey Beige

 21030 135  21031 135 NCS S 2005-Y10R





Light Beige

 21030 137  21031 137 NCS S 1005-Y30R





Medium Beige

 21030 138  21031 138 NCS S 2010-Y30R





Dark Beige

 21030 139  21031 139 NCS S 4010-Y30R





Light Yellow

 21030 140  21031 140 NCS S 1020-Y20R






Yellow Beige

 21030 141  21031 141 NCS S 2020-Y30R



Brown Beige

 21030 142  21031 142 NCS S 3010-Y40R



Unisense



White Grey

21030 153 21031 153 NCS S 1500-N




Light Grey

21030 154 21031 154 NCS S 3000-N



Grey Beige

21030 156 21031 156 NCS S 2005-Y10R



Medium Grey

21030 155 21031 155 NCS S 4500-N




Light Blue

21030 157 21031 157 NCS S 2020-R90B



Green

21030 158 21031 158 NCS S 1030-G60Y



There's a colour and pattern-coordinated welding rod for every colour in the iQ Eminent range*. With contrasting colour chips that coordinate with the flooring's accent colour and design, the welding rods always provide the perfect finishing touch.

* Except iQ Eminent Unisense colours

HOMOGENEOUS
COMPACT VINYL

iQ Eminent



Specification

iQ Eminent is the result of good thinking. iQ Eminent combines sophisticated non-directional designs and outstanding flexibility. The iQ maintenance properties provides extreme durability and the best life cycle cost on the market. The range is suitable in commercial heavy traffic areas such as healthcare, education, retail, offices etc. iQ Eminent is produced with phthalate-free technology and VOC emissions 100 times lower than the strictest standards in Europe contributing to improved indoor environment and air quality.

CERTIFICATION & CLASSIFICATION	STANDARDS	iQ Eminent
Type of floor covering	ISO 10581 - EN 649	Homogeneous single layered vinyl flooring.
Binder content	ISO 10581	Type I.
CE certification	EN 14041	Yes
Classification	ISO 10874 - EN 685	Commercial: 34 Industrial: 43
ISO certification		Ronneby ISO 9001/Ronneby ISO 14001
TECHNICAL CHARACTERISTICS	STANDARDS	iQ Eminent
iQ PUR		Yes
Total thickness	ISO 24346 - EN 428	2.0 mm
Total weight/m ²	ISO 23997 - EN 430	2850 g
Form of delivery	ISO 24341 - EN 426	Sheet
		Approx. 23 running metres x 200 cm art. no. 21030 _ _ _ _ 3 digit colour number
	ISO 24342 - EN 427	61 x 61 cm - 14 tiles/box = 5.21 m ²
	(box)	art. no. 21031 _ _ _ _ 3 digit colour number
TECHNICAL PERFORMANCES	STANDARDS	iQ Eminent
Reaction to fire	EN ISO 13501-1 EN ISO 9239-1 EN ISO 11925-2	Class B _{s1} ≥ 8 kW/m ² Pass
Total VOC emissions	AgBB/DIBt Indoor air quality FloorScore RTS emission class	≤ 10 µg/m ³ (after 28 days) Platinum SCS certified M1
Clean room	ISO 14644-1 ASTM F24 F51	ISO class 4 Class A
Bacteria resistance	ISO 846 Part C	Does not favour growth
Ease of decontamination	ISO 8690 - DIN 25415	Excellent
Chemical resistance	ISO 26987 - EN 423	Excellent
Slip resistance	DIN 51130 EN 13893 BS 7976-2	R9 ≥ 0.3 Low risk of slip
Wet room approval	EN 13553 Annex A GBR approval system	Watertight Certified
Abrasion	EN 660:Part 2	Group T: ≤ 2.0 mm ³
Residual indentation	ISO 24343-1 - EN 433	Required value: ≤ 0.10 mm Average measured value: 0.02 mm
Dimensional stability	ISO 23999 - EN 434	≤ 0.40% for rolls ≤ 0.25% for tiles
Castor chair test	ISO 4918 - EN 425	Suitable
Flexibility	ISO 24344 - EN 435	Pass
Static electrical discharge	EN 1815	< 2 kV
Underfloor heating		Suitable - max. 27°C
Thermal resistance	EN 12667	Approx. 0.01 m ² K/W
Light fastness	EN ISO 105-B02	≥ level 6
Seam strength	EN 684	Average value: ≥ 240 N/50mm Individual values: ≥ 180 N/50mm
Colours		34

The above information is subject to modification for the benefit of further improvement. (01/14).

CUSTOMS TARIFF: 482050000000

Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

Our Sustainability tag explains the content of our products and how they contribute to our sustainability strategy and human well-being.



iQ Eminent	Welding Rod		iQ Eminent	Welding Rod		iQ Eminent	Welding Rod		iQ Eminent	Welding Rod		iQ Eminent	Welding Rod	
	Plain	Multicolour		Plain	Multicolour		Plain	Multicolour		Plain	Multicolour			
125	1287 411	1290 242	132	1287 624	1290 245	139	1287 466	1290 252	146	1287 621	1290 259	153	1289 316	-
126	1287 446	1290 243	133	1287 533	1290 131	140	1287 041	1290 253	147	1287 622	1290 260	154	1292 859	-
127	1287 027	1290 022	134	1287 256	1290 247	141	1292 611	1290 254	148	1287 623	1290 261	155	1287 626	-
128	1292 383	1290 170	135	1287 427	1290 248	142	1292 371	1290 255	149	1287 618	1290 238	156	1287 427	-
129	1294 727	1290 087	136	1287 012	1290 249	143	1287 625	1290 256	150	1287 619	1290 239	157	1287 627	-
130	1287 340	1290 155	137	1287 256	1290 250	144	1287 635	1290 257	151	1287 579	1290 240	158	1287 628	-
131	1291 214	1290 244	138	1287 160	1290 188	145	1287 636	1290 258	152	1287 463	1290 241			

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ Belgium: Tarkett France Belux - Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S - Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy - Tel. +358 9 5406 5870 ■ France: Tarkett SAS - Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt - Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. - Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA - Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland - Tel. +31 76 57 80 760 ■ Norway: Tarkett AS - Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA - Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB - Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz - Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen - Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett France SAS, org. slozka - Tel. +420-271 001 602 ■ Hungary: Tarkett France SAS - Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o.o. - Tel. +48 22 639 31 68 ■ Russian Federation: ZA0 Tarkett RUS - Tel. +7 495 775 3737 ■ Slovakia: Tarkett France SAS, org.zlozka - Tel. +421 248 291 317 ■ South East Europe: Tarkett Trade d.o.o. - Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA - Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 60 95 68 38 ext 841 ■ Hong Kong: Tarkett Asia Pacific Ltd. - Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) - Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Asia Pacific Ltd - Tel. +65 97 57 36 45 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. - Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett Fademac - Tel. 55 12 3954 7108 ■ Other countries: Tarkett America Latina - Tel. +55 11 3047 7200 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur - Tel. 54 11 48 06 74 28 / 54 9 11 44 46 88 ■ **Colombia - Panama - Caribbean:** Tarkett Latam Andina - Tel. 57 1 759 5781 / 57 312 273 1566 ■ Bolivia - Ecuador - Paraguay - Peru: Tarkett Latam Sur Oeste - Tel. 55 11 3047 7233 ■ Mexico / Central America: Tarkett Latam Mexico - Tel. 52 735 35 63 918 / 52 55 51 07 9524



www.tarkett.com